

# **UWMP Standardized Tables**

## **Hermosa-Redondo District**

### **2015 Urban Water Management Plan Appendix H**



Hermosa-Redondo District UWMP Standardized Tables

Table 2-1 Retail Only: Public Water Systems			
Public Water System Number	Public Water System Name	Number of Municipal Connections 2015	Volume of Water Supplied 2015
1910134	Hermosa Redondo	26,386	10,765
<b>TOTAL</b>		<b>26,386</b>	<b>10,765</b>

Hermosa-Redondo District UWMP Standardized Tables

Table 2-2: Plan Identification			
Select Only One	Type of Plan		Name of RUWMP or Regional Alliance <i>if applicable</i> <i>drop down list</i>
<input checked="" type="checkbox"/>	<b>Individual UWMP</b>		
	<input type="checkbox"/>	Water Supplier is also a member of a RUWMP	
	<input checked="" type="checkbox"/>	Water Supplier is also a member of a Regional Alliance	Other
<input type="checkbox"/>	<b>Regional Urban Water Management Plan (RUWMP)</b>		

Hermosa-Redondo District UWMP Standardized Tables

Table 2-3: Agency Identification	
Type of Agency (select one or both)	
<input type="checkbox"/>	Agency is a wholesaler
<input checked="" type="checkbox"/>	Agency is a retailer
Fiscal or Calendar Year (select one)	
<input checked="" type="checkbox"/>	UWMP Tables Are in Calendar Years
<input type="checkbox"/>	UWMP Tables Are in Fiscal Years
If Using Fiscal Years Provide Month and Date that the Fiscal Year Begins (mm/dd)	
Units of Measure Used in UWMP (select from Drop down)	
Unit	AF

Hermosa-Redondo District UWMP Standardized Tables

<b>Table 2-4 Retail: Water Supplier Information Exchange</b>
The retail supplier has informed the following wholesale supplier(s) of projected water use in accordance with CWC 10631.
Wholesale Water Supplier Name <i>(Add additional rows as needed)</i>
West Basin Municipal Water District

Hermosa-Redondo District UWMP Standardized Tables

Table 3-1 Retail: Population - Current and Projected						
Population Served	2015	2020	2025	2030	2035	2040( <i>opt</i> )
	95,774	97,992	100,261	102,584	104,961	107,393

Hermosa-Redondo District UWMP Standardized Tables

Table 4-1 Retail: Demands for Potable and Raw Water - Actual			
Use Type <i>(Add additional rows as needed)</i>	2015 Actual		
<i>Drop down list</i> <i>May select each use multiple times</i> <i>These are the only Use Types that will be recognized by the WUEdata online submittal tool</i>	Additional Description <i>(as needed)</i>	Level of Treatment When Delivered <i>Drop down list</i>	Volume
Single Family		Drinking Water	4,897
Multi-Family		Drinking Water	1,928
Commercial		Drinking Water	1,272
Industrial		Drinking Water	582
Institutional/Governmental		Drinking Water	329
Other		Drinking Water	4
Landscape		Drinking Water	0
Losses		Drinking Water	458
<b>TOTAL</b>			9,471
NOTES: Volume of potable demands are net of IPR for groundwater recharge reported in Table 6-4.			

Hermosa-Redondo District UWMP Standardized Tables

Table 4-2 Retail: Demands for Potable and Raw Water - Projected						
Use Type <i>(Add additional rows as needed)</i>	Additional Description <i>(as needed)</i>	Projected Water Use <i>Report To the Extent that Records are Available</i>				
<u>Drop down list</u> <i>May select each use multiple times</i> <i>These are the only Use Types that will be recognized by the WUEdata online submittal tool</i>		2020	2025	2030	2035	2040-opt
Single Family		6,031	5,998	6,040	6,105	6,188
Multi-Family		2,326	2,260	2,222	2,194	2,176
Commercial		1,357	1,331	1,336	1,334	1,336
Industrial		492	492	492	492	493
Institutional/Governmental		499	514	532	552	574
Other		3	2	1	1	0
Losses		487	498	510	523	536
<b>TOTAL</b>		11,197	11,096	11,133	11,201	11,303
NOTES: Volume of potable demands are net of IPR for groundwater recharge reported in Table 6-4.						

Hermosa-Redondo District UWMP Standardized Tables

<b>Table 4-3 Retail: Total Water Demands</b>						
	2015	2020	2025	2030	2035	2040 ( <i>opt</i> )
Potable and Raw Water <i>From</i> <i>Tables 4-1 and 4-2</i>	9,471	11,197	11,096	11,133	11,201	11,303
Recycled Water Demand* <i>From</i> <i>Table 6-4</i>	1,436	1,444	1,444	1,444	1,444	1,444
<b>TOTAL WATER DEMAND</b>	10,907	12,641	12,540	12,577	12,645	12,747
<i>*Recycled water demand fields will be blank until Table 6-4 is complete.</i>						
NOTES: Volume of potable demands are net of IPR for groundwater recharge reported in Table 6-4.						

Hermosa-Redondo District UWMP Standardized Tables

Table 4-4 Retail: 12 Month Water Loss Audit Reporting	
Reporting Period Start Date (mm/yyyy)	Volume of Water Loss*
01/2014	566

*\* Taken from the field "Water Losses" (a combination of apparent losses and real losses) from the AWWA worksheet.*

Hermosa-Redondo District UWMP Standardized Tables

Table 4-5 Retail Only: Inclusion in Water Use Projections	
<p>Are Future Water Savings Included in Projections?                      (Refer to Appendix K of UWMP Guidebook)  <i>Drop down list (y/n)</i></p>	Yes
<p>If "Yes" to above, state the section or page number, in the cell to the right, where citations of the codes, ordinances, etc... utilized in demand projections are found.</p>	Location in UWMP: Section 4.4 of Chapter 4
<p>Are Lower Income Residential Demands Included In Projections?  <i>Drop down list (y/n)</i></p>	Yes

Hermosa-Redondo District UWMP Standardized Tables

<b>Table 5-1 Baselines and Targets Summary</b>					
<i>Retail Agency or Regional Alliance Only</i>					
Baseline Period	Start Year	End Year	Average Baseline GPCD*	2015 Interim Target *	Confirmed 2020 Target*
10-15 year	1995	2004	143	135	128
5 Year	2003	2007	134		
*All values are in Gallons per Capita per Day (GPCD)					

Hermosa-Redondo District UWMP Standardized Tables

<b>Table 5-2: 2015 Compliance</b>								
<i>Retail Agency or Regional Alliance Only</i>								
Actual 2015 GPCD*	2015 Interim Target GPCD*	<b>Optional Adjustments to 2015 GPCD</b> Enter "0" for adjustments not used <i>From Methodology 8</i>					2015 GPCD* <i>(Adjusted if applicable)</i>	Did Supplier Achieve Targeted Reduction for 2015? Y/N
		Extraordinary Events*	Economic Adjustment*	Weather Normalization*	TOTAL Adjustments*	Adjusted 2015 GPCD*		
88	135	0	0	0	0	88	88	Yes
<i>*All values are in Gallons per Capita per Day (GPCD)</i>								

Hermosa-Redondo District UWMP Standardized Tables

Table 6-1 Retail: Groundwater Volume Pumped						
□	Supplier does not pump groundwater. The supplier will not complete the table below.					
Groundwater Type <i>Drop Down List</i> <i>May use each category multiple times</i>	Location or Basin Name	2011	2012	2013	2014	2015
<i>Add additional rows as needed</i>						
Alluvial Basin	West Coast Basin	2,041	2,014	2,001	1,989	1,734
<b>TOTAL</b>		2,041	2,014	2,001	1,989	1,734

Hermosa-Redondo District UWMP Standardized Tables

Table 6-2 Retail: Wastewater Collected Within Service Area in 2015						
<input type="checkbox"/>	There is no wastewater collection system. The supplier will not complete the table below.					
	Percentage of 2015 service area covered by wastewater collection system <i>(optional)</i>					
	Percentage of 2015 service area population covered by wastewater collection system <i>(optional)</i>					
Wastewater Collection			Recipient of Collected Wastewater			
Name of Wastewater Collection Agency	Wastewater Volume Metered or Estimated? <i>Drop Down List</i>	Volume of Wastewater Collected from UWMP Service Area 2015	Name of Wastewater Treatment Agency Receiving Collected Wastewater	Treatment Plant Name	Is WWTP Located Within UWMP Area? <i>Drop Down List</i>	Is WWTP Operation Contracted to a Third Party? <i>(optional)</i> <i>Drop Down List</i>
<i>Add additional rows as needed</i>						
Los Angeles County Sanitation District	Estimated	9,001	Los Angeles County Sanitation District	LACSD Joint Water Pollution Control Plant	No	
<b>Total Wastewater Collected from Service Area in 2015:</b>		9,001				

Hermosa-Redondo District UWMP Standardized Tables

Table 6-3 Retail: Wastewater Treatment and Discharge Within Service Area in 2015										
<input checked="" type="checkbox"/> No wastewater is treated or disposed of within the UWMP service area. The supplier will not complete the table below.										
Wastewater Treatment Plant Name	Discharge Location Name or Identifier	Discharge Location Description	Wastewater Discharge ID Number (optional)	Method of Disposal <i>Drop down list</i>	Does This Plant Treat Wastewater Generated Outside the Service Area?	Treatment Level <i>Drop down list</i>	2015 volumes			
							Wastewater Treated	Discharged Treated Wastewater	Recycled Within Service Area	Recycled Outside of Service Area
<i>Add additional rows as needed</i>										
<b>Total</b>							0	0	0	0

Hermosa-Redondo District UWMP Standardized Tables

Table 6-4 Retail: Current and Projected Recycled Water Direct Beneficial Uses Within Service Area									
<input type="checkbox"/> Recycled water is not used and is not planned for use within the service area of the supplier. The supplier will not complete the table below.									
Name of Agency Producing (Treating) the Recycled Water:									
Name of Agency Operating the Recycled Water Distribution System:									
Supplemental Water Added in 2015									
Source of 2015 Supplemental Water									
Beneficial Use Type	General Description of 2015 Uses	Level of Treatment <i>Drop down list</i>	2015	2020	2025	2030	2035	2040 (opt)	
Agricultural irrigation									
Landscape irrigation (excludes golf courses)									
Golf course irrigation									
Commercial use									
Industrial use		Tertiary	142	150	150	150	150	150	150
Geothermal and other energy production									
Seawater intrusion barrier									
Recreational impoundment									
Wetlands or wildlife habitat									
Groundwater recharge (IPR)*		Tertiary	1,294	1,294	1,294	1,294	1,294	1,294	1,294
Surface water augmentation (IPR)*									
Direct potable reuse									
Other	Type of Use								
			<b>Total:</b>	1,436	1,444	1,444	1,444	1,444	1,444
<i>*IPR - Indirect Potable Reuse</i>									
NOTES: A small portion of the recycled water is used by parks, schools, and businesses. The data to break out this usage is currently unavailable.									

Hermosa-Redondo District UWMP Standardized Tables

Table 6-5 Retail: 2010 UWMP Recycled Water Use Projection Compared to 2015 Actual		
□	Recycled water was not used in 2010 nor projected for use in 2015. The supplier will not complete the table below.	
Use Type	2010 Projection for 2015	2015 Actual Use
Agricultural irrigation		
Landscape irrigation (excludes golf courses)		
Golf course irrigation		
Commercial use		
Industrial use	155	142
Geothermal and other energy production		
Seawater intrusion barrier		
Recreational impoundment		
Wetlands or wildlife habitat		
Groundwater recharge (IPR)	0	1,294
Surface water augmentation (IPR)		
Direct potable reuse		
Other	<i>Type of Use</i>	
<b>Total</b>	155	1,436

Hermosa-Redondo District UWMP Standardized Tables

Table 6-6 Retail: Methods to Expand Future Recycled Water Use			
<input type="checkbox"/>	Supplier does not plan to expand recycled water use in the future. Supplier will not complete the table below but will provide narrative explanation.		
	Provide page location of narrative in UWMP		
Name of Action	Description	Planned Implementation Year	Expected Increase in Recycled Water Use
<i>Add additional rows as needed</i>			
Discounted Rate	Reduced cost of recycled water	Ongoing	*
<b>Total</b>			0
NOTES: * Expected increase in recycled water use cannot be quantified at this time.			

Hermosa-Redondo District UWMP Standardized Tables

Table 6-7 Retail: Expected Future Water Supply Projects or Programs						
<input type="checkbox"/>	No expected future water supply projects or programs that provide a quantifiable increase to the agency's water supply. Supplier will not complete the table below.					
<input checked="" type="checkbox"/>	Some or all of the supplier's future water supply projects or programs are not compatible with this table and are described in a narrative format.					
6.5, 6.6	Provide page location of narrative in the UWMP					
Name of Future Projects or Programs	Joint Project with other agencies?		Description (if needed)	Planned Implementation Year	Planned for Use in Year Type <i>Drop Down List</i>	Expected Increase in Water Supply to Agency <i>This may be a range</i>
	<i>Drop Down List (y/n)</i>	<i>If Yes, Agency Name</i>				
<i>Add additional rows as needed</i>						

Hermosa-Redondo District UWMP Standardized Tables

Table 6-8 Retail: Water Supplies — Actual				
Water Supply	Additional Detail on Water Supply	2015		
<i>Drop down list</i> <i>May use each category multiple times.</i> <i>These are the only water supply categories that will be recognized by the WUEdata online submittal tool</i>		Actual Volume	Water Quality <i>Drop Down List</i>	Total Right or Safe Yield <i>(optional)</i>
<i>Add additional rows as needed</i>				
Groundwater		1,734	Drinking Water	
Purchased or Imported Water		9,031	Drinking Water	
Recycled Water		142	Recycled Water	
<b>Total</b>		10,907		0
NOTES: IPR included within groundwater total.				

Hermosa-Redondo District UWMP Standardized Tables

Table 6-9 Retail: Water Supplies — Projected											
Water Supply	Additional Detail on Water Supply	Projected Water Supply <i>Report To the Extent Practicable</i>									
		2020		2025		2030		2035		2040 (opt)	
<i>Drop down list</i> <i>May use each category multiple times.</i> <i>These are the only water supply categories that will be recognized by the WUdata online submittal tool</i>		Reasonably Available Volume	Total Right or Safe Yield (optional)	Reasonably Available Volume	Total Right or Safe Yield (optional)	Reasonably Available Volume	Total Right or Safe Yield (optional)	Reasonably Available Volume	Total Right or Safe Yield (optional)	Reasonably Available Volume	Total Right or Safe Yield (optional)
<i>Add additional rows as needed</i>											
Groundwater		4,070		4,070		4,070		4,070		4,070	
Purchased or Imported Water		8,421		8,320		8,357		8,425		8,527	
Recycled Water		150		150		150		150		150	
	<b>Total</b>	12,641	0	12,540	0	12,577	0	12,645	0	12,747	0
NOTES: IPR included within groundwater total.											

Hermosa-Redondo District UWMP Standardized Tables

Table 7-1 Retail: Basis of Water Year Data			
Year Type	Base Year <i>If not using a calendar year, type in the last year of the fiscal or water year, for example, water year 1999-2000, use 2000</i>	Available Supplies if Year Type Repeats	
		<input type="checkbox"/>	Quantification of available supplies is not compatible with this table and is provided elsewhere in the UWMP. Location _____
		<input checked="" type="checkbox"/>	Quantification of available supplies is provided in this table as either volume only, percent only, or both.
		Volume Available	% of Average Supply
Average Year	2003	12,747	100%
Single-Dry Year	1947	13,205	
Multiple-Dry Years 1st Year	2013	13,198	
Multiple-Dry Years 2nd Year	2014	12,970	
Multiple-Dry Years 3rd Year	2015	13,087	
Multiple-Dry Years 4th Year <i>Optional</i>			
Multiple-Dry Years 5th Year <i>Optional</i>			
Multiple-Dry Years 6th Year <i>Optional</i>			
Agency may use multiple versions of Table 7-1 if different water sources have different base years and the supplier chooses to report the base years for each water source separately. If an agency uses multiple versions of Table 7-1, in the "Note" section of each table, state that multiple versions of Table 7-1 are being used and identify the particular water source that is being reported in each table.			
NOTES: Available volumes are the maximum volumes across all forecast years in Tables 7-2, 7-3, and 7-4.			

Hermosa-Redondo District UWMP Standardized Tables

Table 7-2 Retail: Normal Year Supply and Demand Comparison					
	2020	2025	2030	2035	2040 (Opt)
Supply totals <i>(autofill from Table 6-9)</i>	12,641	12,540	12,577	12,645	12,747
Demand totals <i>(autofill from Table 4-3)</i>	12,641	12,540	12,577	12,645	12,747
Difference	0	0	0	0	0

Hermosa-Redondo District UWMP Standardized Tables

Table 7-3 Retail: Single Dry Year Supply and Demand Comparison					
	2020	2025	2030	2035	2040 (Opt)
Supply totals	13,096	12,991	13,030	13,100	13,205
Demand totals	13,096	12,991	13,030	13,100	13,205
Difference	0	0	0	0	0

Hermosa-Redondo District UWMP Standardized Tables

Table 7-4 Retail: Multiple Dry Years Supply and Demand Comparison						
		2020	2025	2030	2035	2040 (Opt)
First year	Supply totals	13,088	12,984	13,022	13,093	13,198
	Demand totals	13,088	12,984	13,022	13,093	13,198
	Difference	0	0	0	0	0
Second year	Supply totals	12,862	12,759	12,797	12,866	12,970
	Demand totals	12,862	12,759	12,797	12,866	12,970
	Difference	0	0	0	0	0
Third year	Supply totals	12,978	12,875	12,913	12,983	13,087
	Demand totals	12,978	12,875	12,913	12,983	13,087
	Difference	0	0	0	0	0
Fourth year <i>(optional)</i>	Supply totals					
	Demand totals					
	Difference	0	0	0	0	0

Table 8-1 Retail Stages of Water Shortage Contingency Plan		
Stage	Complete Both	
	Percent Supply Reduction <sup>1</sup> <i>Numerical value as a percent</i>	Water Supply Condition <i>(Narrative description)</i>
<i>Add additional rows as needed</i>		
	<i>numerical value as percent</i>	<i>narrative description</i>
1	Up to 10%	Minimal shortage
2	Up to 20%	Moderate shortage
3	Up to 35%	Severe shortage
4	Greater than 35%	Critical shortage
<sup>1</sup> One stage in the Water Shortage Contingency Plan must address a water shortage of 50%.		

Hermosa-Redondo District UWMP Standardized Tables

Table 8-2 Retail Only: Restrictions and Prohibitions on End Uses			
Stage	Restrictions and Prohibitions on End Users <i>Drop down list</i> <i>These are the only categories that will be accepted by the WUEdata online submittal tool</i>	Additional Explanation or Reference <i>(optional)</i>	Penalty, Charge, or Other Enforcement? <i>Drop Down List</i>
<i>Add additional rows as needed</i>			
1	Landscape - Limit landscape irrigation to specific days	Limited to no more than 3 days per week	Yes
1	Landscape - Limit landscape irrigation to specific times	Limited to 8 am and 6pm	Yes
1	Other - Customers must repair leaks, breaks, and malfunctions in a timely manner	Must be repaired within 5 business days	Yes
1	Landscape - Restrict or prohibit runoff from landscape irrigation		Yes
1	Landscape - Other landscape restriction or prohibition	Prohibit application of potable water to outdoor landscapes within 48 hours of measurable rainfall.	Yes
1	Other - Require automatic shut off hoses		Yes
1	Other - Prohibit use of potable water for washing hard surfaces		Yes
1	Other	Limits filling ornamental lakes or ponds; prohibit use of potable water in a water feature except where the water is recirculated	Yes
2	Landscape - Limit landscape irrigation to specific days	Limited to no more than 3 days per week	Yes
2	Landscape - Limit landscape irrigation to specific times	Limited to 8 am and 6pm	Yes

Hermosa-Redondo District UWMP Standardized Tables

Table 8-2 Retail Only: Restrictions and Prohibitions on End Uses			
Stage	Restrictions and Prohibitions on End Users <i>Drop down list</i> <i>These are the only categories that will be accepted by the WUEdata online submittal tool</i>	Additional Explanation or Reference <i>(optional)</i>	Penalty, Charge, or Other Enforcement? <i>Drop Down List</i>
2	Other - Customers must repair leaks, breaks, and malfunctions in a timely manner	Must be repaired within 3 business days	Yes
2	Landscape - Restrict or prohibit runoff from landscape irrigation		Yes
2	Landscape - Other landscape restriction or prohibition	Prohibits irrigation of ornamental turf on public street medians with potable water; prohibit application of potable water to outdoor landscapes within 48 hours of measurable rainfall.	Yes
2	CII - Lodging establishment must offer opt out of linen service		Yes
2	CII - Restaurants may only serve water upon request		Yes
2	Other - Require automatic shut off hoses		Yes
2	Other - Prohibit use of potable water for washing hard surfaces		Yes
2	Other	Limits filling ornamental lakes or ponds; prohibit use of potable water in a water feature except where the water is recirculated	Yes
3	Landscape - Limit landscape irrigation to specific days	Limited to no more than 2 days per week	Yes

Hermosa-Redondo District UWMP Standardized Tables

Table 8-2 Retail Only: Restrictions and Prohibitions on End Uses			
Stage	Restrictions and Prohibitions on End Users <i>Drop down list</i> <i>These are the only categories that will be accepted by the WUEdata online submittal tool</i>	Additional Explanation or Reference <i>(optional)</i>	Penalty, Charge, or Other Enforcement? <i>Drop Down List</i>
3	Landscape - Limit landscape irrigation to specific times	Limited to 8 am and 6pm	Yes
3	Other - Customers must repair leaks, breaks, and malfunctions in a timely manner	Must be repaired within 2 business days	Yes
3	Landscape - Restrict or prohibit runoff from landscape irrigation		Yes
3	Landscape - Other landscape restriction or prohibition	Prohibits irrigation of ornamental turf on public street medians with potable water; prohibit application of potable water to outdoor landscapes within 48 hours of measurable rainfall.	Yes
3	CII - Lodging establishment must offer opt out of linen service		Yes
3	CII - Restaurants may only serve water upon request		Yes
3	Other - Require automatic shut off hoses		Yes
3	Other - Prohibit use of potable water for washing hard surfaces	Prohibits use of potable water for street cleaning with trucks except for initial wash-down for construction purposes if street sweeping is not feasible	Yes

Hermosa-Redondo District UWMP Standardized Tables

Table 8-2 Retail Only: Restrictions and Prohibitions on End Uses			
Stage	Restrictions and Prohibitions on End Users <i>Drop down list</i> <i>These are the only categories that will be accepted by the WUEdata online submittal tool</i>	Additional Explanation or Reference <i>(optional)</i>	Penalty, Charge, or Other Enforcement? <i>Drop Down List</i>
3	Other	Limits filling ornamental lakes or ponds; prohibit use of potable water in a water feature except where the water is recirculated	Yes
3	Other - Prohibit use of potable water for construction and dust control	Prohibited unless no other method or source of water can be used	Yes
4	Landscape - Prohibit all landscape irrigation	Prohibited except with hand-held bucket nozzle to maintain trees and shrubs.	Yes
4	Other - Customers must repair leaks, breaks, and malfunctions in a timely manner	Must be repaired within 1 business day	Yes
4	Landscape - Restrict or prohibit runoff from landscape irrigation		Yes
4	CII - Lodging establishment must offer opt out of linen service		Yes
4	CII - Restaurants may only serve water upon request		Yes
4	Other - Require automatic shut off hoses		Yes
4	Other - Prohibit use of potable water for washing hard surfaces	Prohibits use of potable water for street cleaning with trucks	Yes

Table 8-2 Retail Only: Restrictions and Prohibitions on End Uses			
Stage	Restrictions and Prohibitions on End Users <i>Drop down list</i> <i>These are the only categories that will be accepted by the WUEdata online submittal tool</i>	Additional Explanation or Reference <i>(optional)</i>	Penalty, Charge, or Other Enforcement? <i>Drop Down List</i>
4	Other	Limits filling ornamental lakes or ponds; prohibit use of potable water in a water feature except where the water is recirculated	Yes
4	Other - Prohibit use of potable water for construction and dust control	No exceptions	Yes

Hermosa-Redondo District UWMP Standardized Tables

Table 8-3 Retail Only: Stages of Water Shortage Contingency Plan - Consumption Reduction Methods		
Stage	Consumption Reduction Methods by Water Supplier <i>Drop down list</i> <i>These are the only categories that will be accepted by the WUEdata online submittal tool</i>	Additional Explanation or Reference <i>(optional)</i>
<i>Add additional rows as needed</i>		
2	Expand Public Information Campaign	
2	Offer Water Use Surveys	Offered as part of standard conservation program. Will expand as needed to achieve additional savings.
2	Provide Rebates or Giveaways of Plumbing Fixtures and Devices	Offered as part of standard conservation program. Will expand as needed to achieve additional savings.
2	Provide Rebates for Landscape Irrigation Efficiency	Offered as part of standard conservation program. Will expand as needed to achieve additional savings.
2	Decrease Line Flushing	
2	Reduce System Water Loss	
2	Increase Water Waste Patrols	
2	Other	Mandatory water budgets and banking-- Water budgets will be based on a customer's consumption during a historical base period and will include a percentage reduction designed to meet necessary water-use reductions.
2	Implement or Modify Drought Rate Structure or Surcharge	Drought surcharges charged to customers for each unit of water used over the established water budget for the billing period. For Stage 2 surcharges are two times the highest residential tier rate, with exceptions discussed in Section 8.3
3	Expand Public Information Campaign	

Hermosa-Redondo District UWMP Standardized Tables

Table 8-3 Retail Only: Stages of Water Shortage Contingency Plan - Consumption Reduction Methods		
Stage	Consumption Reduction Methods by Water Supplier <i>Drop down list</i> <i>These are the only categories that will be accepted by the WUEdata online submittal tool</i>	Additional Explanation or Reference <i>(optional)</i>
3	Offer Water Use Surveys	Offered as part of standard conservation program. Will expand as needed to achieve additional savings.
3	Provide Rebates or Giveaways of Plumbing Fixtures and Devices	Offered as part of standard conservation program. Will expand as needed to achieve additional savings.
3	Provide Rebates for Landscape Irrigation Efficiency	Offered as part of standard conservation program. Will expand as needed to achieve additional savings.
3	Decrease Line Flushing	
3	Reduce System Water Loss	
3	Increase Water Waste Patrols	
3	Other	Mandatory water budgets and banking
3	Implement or Modify Drought Rate Structure or Surcharge	Drought surcharges charged to customers for each unit of water used over the established
4	Expand Public Information Campaign	
4	Offer Water Use Surveys	Offered as part of standard conservation program. Will expand as needed to achieve additional savings.
4	Provide Rebates or Giveaways of Plumbing Fixtures and Devices	Offered as part of standard conservation program. Will expand as needed to achieve additional savings.
4	Provide Rebates for Landscape Irrigation Efficiency	Offered as part of standard conservation program. Will expand as needed to achieve additional savings.
4	Decrease Line Flushing	
4	Reduce System Water Loss	
4	Increase Water Waste Patrols	

Hermosa-Redondo District UWMP Standardized Tables

Table 8-3 Retail Only: Stages of Water Shortage Contingency Plan - Consumption Reduction Methods		
Stage	Consumption Reduction Methods by Water Supplier <i>Drop down list</i> <i>These are the only categories that will be accepted by the WUEdata online submittal tool</i>	Additional Explanation or Reference <i>(optional)</i>
4	Other	Mandatory water budgets and banking
4	Other	Mandatory water budgets and banking
4	Implement or Modify Drought Rate Structure or Surcharge	Drought surcharges charged to customers for each unit of water used over the established water budget for the billing period.
NOTES: The actions included may be implemented through a combination of Rule 14.1 and Schedule 14.1		

Hermosa-Redondo District UWMP Standardized Tables

<b>Table 8-4 Retail: Minimum Supply Next Three Years</b>			
	2016	2017	2018
Available Water Supply	13,088	12,862	12,978

Hermosa-Redondo District UWMP Standardized Tables

Table 10-1 Retail: Notification to Cities and Counties		
City Name	60 Day Notice	Notice of Public Hearing
<i>Add additional rows as needed</i>		
City of Hermosa Beach	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
City of Redondo Beach	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
City of Torrance	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
County Name <i>Drop Down List</i>	60 Day Notice	Notice of Public Hearing
<i>Add additional rows as needed</i>		
County of Los Angeles	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>